

MAAG 1500BDMG

GENSET

Standby Power	kVA	1500
	kW	1200
Prime Power	kVA	1375
	kW	1100
Soundproof canopy [mm]	W x L x H	custom size
Open version [mm]	W x L x H	2400x5200x2676
Fuel tank [liter] -base	diesel	2275
Net total weight with canopy*	kg	custom weight
Net total weight open version*	kg	12 200
Noise [in canopy design]	dB(A)	71
Control panel		MGD 500L MK2

* Including lubrication oil and coolant fluid, excluding fuel

[Info] Genset characteristics:

Displays:

Phase currents (A), Phase voltages (V), Line voltages, Integrated frequency and speed display.

Cooling water temperature, operating hours counter, oil pressure indicator.

[Info] AMF Genset control:

Standard voltage-free indications: genset running, high water temperature, low oil pressure, low battery voltage.



[Info] Prime power:

Prime Power is the maximum power accessible at the variable load for an unlimited number of hours per year in a variable load setting. It is not advisable that the variable load exceed 70% average of the prime power rating during any operational period. If the engine is running at 100% prime power, yearly hours should not exceed 500. Overload situations should be avoided however a 10% overload capability is available for a 1 hour period within a 12 hour cycle of operation.

[Info] Standby power:

Standby Rating for a standby engine should be sized for a maximum of 70% average load factor and roughly 500 hours per year. Standby power ratings should never be applied except in true emergency outage situations. With standby rated generators there is no overload capability built into the units.



MOTOR

Manufacturer		BAUDOIN
Model		12M33G1500/5
Number of cylinders		12 V
Cycle		4
Aspiration		Turbocharger - intercooler
Cooling system		Water
Cooling circuit capacity	liter	303
Oil capacity	liter	155
Injection		direct
Speed/Frequency	rpm/Hz	1500/50
Fuel consumption	100%	331
	50%	167

ALTERNATOR

Manufacturer		MAAG
Number of Phase		3
Power factor		cos φ 0,8
Frequency [Hz]		50
Output voltage [VAC]		230 / 400 V
Protection		IP 23
Connection type		Star
Standby power	[kVA]	1438
Insulation class		Class H

OTHER INFO

web: www.maaggenerator.com

CERTIFICATE

MARTON Szaktudó Kft.
8200 Balaton, Andrássy út 11. sz. épület
8200 Balaton

Levegő Kft.

Réghelyi út 11. 8233 Balatonföldvár, Balaton-felvidék
Operatív Kft. Rt. 8233 Balatonföldvár, Operatív Kft. Rt. Rt. Rt.

Levegő Kft. és a Marton Szaktudó Kft. közötti szerződés alapján készült a következő:

Turbófeltöltésű és közelművelésű 12 hengeres motor, 12000 W teljesítményű, 1500 rpm fordulatszámmal.

Azonosító szám: 12000 W / 1500 rpm / 12 V

CE jelölés: CE

CERTIFICATE

A RIKA LON Szaktudó Kft.
8200 Balaton, Andrássy út 11. sz. épület
8200 Balaton

Levegő Kft.

Réghelyi út 11. 8233 Balatonföldvár, Balaton-felvidék
Operatív Kft. Rt. 8233 Balatonföldvár, Operatív Kft. Rt. Rt.

Levegő Kft. és a Marton Szaktudó Kft. közötti szerződés alapján készült a következő:

Turbófeltöltésű és közelművelésű 12 hengeres motor, 12000 W teljesítményű, 1500 rpm fordulatszámmal.

Azonosító szám: 12000 W / 1500 rpm / 12 V

CE jelölés: CE

All of our products are made in Hungary in our own factory. Please kindly be notified that We reserve the right to make changes without the prior consent of the buyer except the standby and prime power which are always guaranteed. Thank you for understanding.
All pictures shown here are for illustration purpose only.

MSZ EN ISO 14001:2015, MSZ EN ISO 9001:2015

